

# CABANATUAN CITY WATER DISTRICT WATER TESTING LABORATORY

229 Maharlika Road, Dicarma District, Cabanatuan City, Philippines  
Telefax (44) 463-2877, 463-1646 to 47, 940-1216  
DOH Accreditation #03-001-18-LW-1

## WATER MICROBIOLOGY ANALYSIS REPORT

Client: **LICAB WATER DISTRICT**  
Owner/Manager: **ANNE LORELIE DL. LAURETA**  
Address: **DON PALMACIO AVE., POB. SUR, LICAB,  
NUEVA ECIJA**

WMAR No: **19-389A**  
Date Received: **June 04, 2019**  
Date Analyzed: **June 04, 2019**  
Date Completed: **June 06, 2019**


Physical Characteristics: **Sample is clear, with no foreign matter**


Concessionaire	Location	Date and Time of Sampling	Heterotrophic Plate Count (Est. CFU/mL)	Total Coliform	Fecal/Thermotolerant Coliform	Remarks
				(MPN/100mL)		
Neri Esperanza	San Cristobal	June 04, 2019 9:01 AM	9	<1.1	<1.1	PASSED
PNSDW Limits AO 2017-0010			<500	<1.1	<1.1	

Est. CFU/mL = Estimated Colony Forming Units per milliliter

MPN/100mL = Most Probable Number per 100 milliliters

- Note:
- Test method used:
    - Pour Plate Method for the determination of Heterotrophic Plate Count
    - Multiple Tube Fermentation Technique for the determination of Total and Fecal/Thermotolerant coliforms
  - References:
    - Philippine National Standards for Drinking Water, 2017
    - Standard Methods for the Examination of Water and Wastewater, 22nd Edition, 2012, APHA, AWWA, WEF
  - Result of examination **specifically** relates to samples as received


  
Veronica A. Presentacion, RMicro  
Analyst, PAM No. 18-00303

  
Susana P. Quiaoit, MD, FPSP  
Head of the Laboratory, PRC No. 64242

CCWDLAB-FORM02-00

Page 1 of 1

NOT VALID WITHOUT DRY SEAL



# CABANATUAN CITY WATER DISTRICT WATER TESTING LABORATORY

229 Maharlika Road, Dicarma District, Cabanatuan City, Philippines  
Telefax (44) 463-2877, 463-1646 to 47, 940-1216  
DOH Accreditation #03-001-18-LW-1

## WATER MICROBIOLOGY ANALYSIS REPORT

Client: **LICAB WATER DISTRICT**  
Owner/Manager: **ANNE LORELIE DL. LAURETA**  
Address: **DON PALMACIO AVE., POB. SUR, LICAB,  
NUEVA ECIJA**

WMAR No: **19-389B**  
Date Received: **June 04, 2019**  
Date Analyzed: **June 04, 2019**  
Date Completed: **June 06, 2019**


Physical Characteristics: **Sample is clear, with no foreign matter**

Concessionaire	Location	Date and Time of Sampling	Heterotrophic Plate Count (Est. CFU/mL)	Total Coliform	Fecal/Thermotolerant Coliform	Remarks
				(MPN/100mL)		
Hovencio Lacamento	Pob. Sur	June 04, 2019 9:14 AM	3	<1.1	<1.1	PASSED
PNSDW Limits AO 2017-0010			<500	<1.1	<1.1	

Est. CFU/mL = Estimated Colony Forming Units per milliliter


MPN/100mL = Most Probable Number per 100 milliliters

- Note:
- Test method used:
    - Pour Plate Method for the determination of Heterotrophic Plate Count
    - Multiple Tube Fermentation Technique for the determination of Total and Fecal/Thermotolerant coliforms
  - References:
    - Philippine National Standards for Drinking Water, 2017
    - Standard Methods for the Examination of Water and Wastewater, 22nd Edition, 2012, APHA, AWWA, WEF
  - Result of examination **specifically** relates to samples as received

  
**Veronica A. Presentacion, RMicro**  
Analyst, PAM No. 18-00303


CCWDLAB-FORM02-00

Page 1 of 1

  
**Susana P. Quiaoit, MD, FPSP**  
Head of the Laboratory, PRC No. 64242

NOT VALID WITHOUT DRY SEAL





# CABANATUAN CITY WATER DISTRICT WATER TESTING LABORATORY

229 Maharlika Road, Dicarma District, Cabanatuan City, Philippines  
Telefax (44) 463-2877, 463-1646 to 47, 940-1216  
DOH Accreditation #03-001-18-LW-1

## WATER MICROBIOLOGY ANALYSIS REPORT

Client: **LICAB WATER DISTRICT**  
Owner/Manager: **ANNE LORELIE DL. LAURETA**  
Address: **DON PALMACIO AVE., POB. SUR, LICAB,  
NUEVA ECIJA**

WMAR No: **19-389C**  
Date Received: **June 04, 2019**  
Date Analyzed: **June 04, 2019**  
Date Completed: **June 06, 2019**


Physical Characteristics: **Sample is clear, with no foreign matter**


Concessionaire	Location	Date and Time of Sampling	Heterotrophic Plate Count (Est. CFU/mL)	Total Coliform	Fecal/Thermotolerant Coliform	Remarks
				(MPN/100mL)		
Patricia Lampa	Riverside, San Juan	June 04, 2019 9:28 AM	<1	<1.1	<1.1	PASSED
PNSDW Limits AO 2017-0010			<500	<1.1	<1.1	

Est. CFU/mL = Estimated Colony Forming Units per milliliter

MPN/100mL = Most Probable Number per 100 milliliters

- Note:
1. Test method used:
    - a. Pour Plate Method for the determination of Heterotrophic Plate Count
    - b. Multiple Tube Fermentation Technique for the determination of Total and Fecal/Thermotolerant coliforms
  2. References:
    - a. Philippine National Standards for Drinking Water, 2017
    - b. Standard Methods for the Examination of Water and Wastewater, 22nd Edition, 2012, APHA, AWWA, WEF
  3. Result of examination **specifically** relates to samples as received


  
**Veronica A. Presentacion, RMicro**  
Analyst, PAM No. 18-00303

  
**Susana P. Quiñaoit, MD, FPSP**  
Head of the Laboratory, PRC No. 64242

CCWDLAB-FORM02-00

Page 1 of 1

NOT VALID WITHOUT DRY SEAL



# CABANATUAN CITY WATER DISTRICT WATER TESTING LABORATORY

229 Maharlika Road, Dicarma District, Cabanatuan City, Philippines  
Telefax (44) 463-2877, 463-1646 to 47, 940-1216  
DOH Accreditation #03-001-18-LW-1

## WATER MICROBIOLOGY ANALYSIS REPORT

Client: LICAB WATER DISTRICT  
Owner/Manager: ANNE LORELIE DL. LAURETA  
Address: DON PALMACIO AVE., POB. SUR, LICAB,  
NUEVA ECIJA

WMAR No: 19-389D  
Date Received: June 04, 2019  
Date Analyzed: June 04, 2019  
Date Completed: June 06, 2019


Physical Characteristics: **Sample is clear, with no foreign matter**


Concessionaire	Location	Date and Time of Sampling	Heterotrophic Plate Count (Est. CFU/mL)	Total Coliform	Fecal/Thermotolerant Coliform	Remarks
				(MPN/100mL)		
Alicia Manabat	Villa Rosa	June 04, 2019 9:46 AM	2	<1.1	<1.1	PASSED
PNSDW Limits AO 2017-0010			<500	<1.1	<1.1	

Est. CFU/mL = Estimated Colony Forming Units per milliliter

MPN/100mL = Most Probable Number per 100 milliliters

- Note:
1. Test method used:
    - a. Pour Plate Method for the determination of Heterotrophic Plate Count
    - b. Multiple Tube Fermentation Technique for the determination of Total and Fecal/Thermotolerant coliforms
  2. References:
    - a. Philippine National Standards for Drinking Water, 2017
    - b. Standard Methods for the Examination of Water and Wastewater, 22nd Edition, 2012, APHA, AWWA, WEF
  3. Result of examination **specifically** relates to samples as received

  
Veronica A. Presentacion, RMicro  
Analyst, PAM No. 18-00303

  
Susana P. Quiñait, MD, FPSP  
Head of the Laboratory, PRC No. 64242

CCWDLAB-FORM02-00

Page 1 of 1

NOT VALID WITHOUT DRY SEAL



# CABANATUAN CITY WATER DISTRICT WATER TESTING LABORATORY

229 Maharlika Road, Dicarma District, Cabanatuan City, Philippines  
Telefax (44) 463-2877, 463-1646 to 47, 940-1216  
DOH Accreditation #03-001-18-LW-1

## WATER MICROBIOLOGY ANALYSIS REPORT

Client: **LICAB WATER DISTRICT**  
Owner/Manager: **ANNE LORELIE DL. LAURETA**  
Address: **DON PALMACIO AVE., POB. SUR, LICAB,  
NUEVA ECIJA**

WMAR No: **19-389E**  
Date Received: **June 04, 2019**  
Date Analyzed: **June 04, 2019**  
Date Completed: **June 06, 2019**


Physical Characteristics: **Sample is clear, with no foreign matter**


Concessionaire	Location	Date and Time of Sampling	Heterotrophic Plate Count (Est. CFU/mL)	Total Coliform	Fecal/Thermotolerant Coliform	Remarks
				(MPN/100mL)		
Lilibeth Enriquez	Sta. Maria, Purok 6	June 04, 2019 8:35 AM	16	<1.1	<1.1	PASSED
PNSDW Limits AO 2017-0010			<500	<1.1	<1.1	

Est. CFU/mL = Estimated Colony Forming Units per milliliter

MPN/100mL = Most Probable Number per 100 milliliters

- Note:
- Test method used:
    - Pour Plate Method for the determination of Heterotrophic Plate Count
    - Multiple Tube Fermentation Technique for the determination of Total and Fecal/Thermotolerant coliforms
  - References:
    - Philippine National Standards for Drinking Water, 2017
    - Standard Methods for the Examination of Water and Wastewater, 22nd Edition, 2012, APHA, AWWA, WEF
  - Result of examination **specifically** relates to samples as received

  
**Veronica A. Presentacion, RMicro**  
Analyst, PAM No. 18-00303

  
**Susana P. Quiñaoit, MD, FPSP**  
Head of the Laboratory, PRC No. 64242

CCWDLAB-FORM02-00

Page 1 of 1

NOT VALID WITHOUT DRY SEAL

# CABANATUAN CITY WATER DISTRICT WATER TESTING LABORATORY

229 Maharlika Road, Dicarma District, Cabanatuan City, Philippines  
Telefax (44) 463-2877, 463-1646 to 47, 940-1216  
DOH Accreditation #03-001-18-LW-1

## WATER MICROBIOLOGY ANALYSIS REPORT

Client: **LICAB WATER DISTRICT**  
Owner/Manager: **ANNE LORELIE DL. LAURETA**  
Address: **DON PALMACIO AVE., POB. SUR, LICAB,  
NUEVA ECIJA**

WMAR No: **19-389F**  
Date Received: **June 04, 2019**  
Date Analyzed: **June 04, 2019**  
Date Completed: **June 06, 2019**


Physical Characteristics: **Sample is clear, with no foreign matter**


Concessionaire	Location	Date and Time of Sampling	Heterotrophic Plate Count (Est. CFU/mL)	Total Coliform	Fecal/Thermotolerant Coliform	Remarks
				(MPN/100mL)		
Anselma Carrido	Sta. Maria, Purok 5	June 04, 2019 8:50 AM	<1	<1.1	<1.1	PASSED
PNSDW Limits AO 2017-0010			<500	<1.1	<1.1	

Est. CFU/mL = Estimated Colony Forming Units per milliliter

MPN/100mL = Most Probable Number per 100 milliliters

- Note:
1. Test method used:
    - a. Pour Plate Method for the determination of Heterotrophic Plate Count
    - b. Multiple Tube Fermentation Technique for the determination of Total and Fecal/Thermotolerant coliforms
  2. References:
    - a. Philippine National Standards for Drinking Water, 2017
    - b. Standard Methods for the Examination of Water and Wastewater, 22nd Edition, 2012, APHA, AWWA, WEF
  3. Result of examination **specifically** relates to samples as received

  
**Veronica A. Presentacion, RMicro**  
Analyst, PAM No. 18-00303

  
**Susana P. Quiaoit, MD, FPSP**  
Head of the Laboratory, PRC No. 64242

CCWDLAB-FORM02-00

Page 1 of 1

NOT VALID WITHOUT DRY SEAL